



CR 494 Acrylic Coating

August 17, 2020

*****SAFETY DATA SHEET *****

Page 1 of 6

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: CR 494 Acrylic Coating
Product Type: Compounded water based acrylic coating
Company Address:
The Gluefast Company, Inc.
3535 Route 66, Bldg. #1
Neptune, NJ 07753 USA
Phone 732-918-4600

2. HAZARDS IDENTIFICATION

Physical state: Liquid
Color: White
Odor: Styrene-acrylate May cause eye irritation

See Section 11 for complete health hazard information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients This material contains no ingredients requiring disclosure under regulatory hazard criteria for this jurisdiction. See Section 11 for additional details.

4. FIRST AID MEASURES

Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
Skin Wash with soap and water. Get medical attention if irritation develops.
Inhalation Remove exposed person to fresh air if adverse effects are observed.
Oral Treat symptomatically. Get medical attention.

5. FIRE FIGHTING MEASURES

Flash Point >=95 °C, 203 °F Test method unavailable (minimum)
Extinguishing Media Water spray, dry chemical, foam. CO2 may be ineffective on large fires.
Firefighting Procedures Wear full protective fire gear including self-containing breathing apparatus operated in the positive pressure mode with full face piece, coat, pants, gloves and boots. Water may cause splattering.
Unusual Fire & Explosion Material will not burn until water has been evaporated. Container may rupture on heating.
Hazards See section 10 for additional information.



CR 494 Acrylic Coating

August 17, 2020

*****SAFETY DATA SHEET *****

Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Spill Procedures

Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways. Spilled liquid and dried film are slippery. Use care to avoid falls. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Wash spill area with soap and water

7. HANDLING AND STORAGE

Pumping Temperature

Not determined.

**Maximum Handling Temperature
Handling Procedures**

Ambient
Keep containers closed when not in use. Avoid eye contact. Avoid repeated or prolonged skin contact. When handling, do not eat, drink, or smoke. Avoid drinking, tasting, swallowing or ingesting this product. Stir well before use. Avoid breathing dust, fume, gas, mist, vapors or spray. Minimize contact with air to reduce contamination with mold, fungus, or other organisms which could cause decomposition or spoilage. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product. Dispose of packaging or containers in accordance with local, regional, national and international regulations.

**Maximum Storage Temperature
Storage Procedures**

5 – 30 °C, 41 – 86 °F
Keep from freezing. Keep container closed when not in use. Do not store in open, unlabeled or mislabeled containers. See Section 10 for incompatible materials.

Maximum Loading Temperatures

Not determined.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

None established

Other Exposure Limits

None known.

Engineering Controls

Use material in well ventilated area only. Additional ventilation or exhaust may be required to maintain air concentrations below recommended exposure limits.

Gloves Procedures

Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur wear chemically protective gloves.

Eye Protection

Safety Glasses.

Respiratory Protection

Use NIOSHA/MSHA approved respirator with a combination organic vapor and high efficiency filter cartridge if recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.

Clothing Recommendation

No special clothing requirement.



*****SAFETY DATA SHEET *****

Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Flash point:	>=95 °C, 203 °F Test method unavailable (minimum)
Upper Flammable limit:	Not determined
Lower Flammable limit:	Not determined
Autoignition Point:	Not determined
Explosion Data:	Material does not have explosive properties.
Vapor pressure:	~ 18 mm Hg (20 °C)
PH:	7.6 - 8.6
Specific gravity:	1.03 (20 °C)
Bulk Density:	~ 8.57 Lb/gal, ~ 1.03 Kg/L
Water Solubility:	Dispersible.
Percent Solid:	~ 24-28% by Weight
Percent Volatile:	72-76% by Weight
VOC content:	<0.15% (Estimated)
Vapor density:	< 1 Air = 1
Evaporation rate:	< 1 Butyl acetate=1
Odor:	Acrylic
Appearance:	White liquid.
Viscosity:	<11,000 Centipoise (25 °C)
Odor threshold:	Not determined.
Boiling point:	~ 100 °C ~ 212 °F (Typical)
Pour Point Temperature:	Not determined.
Melting / Freezing Point	~ 0 °C, ~ 32 °F

The above data are typical values and do not constitute a specification. Vapor pressure data are not calculated unless otherwise noted.

10. STABILITY AND REACTIVITY

Stability	Material is normally stable at moderately elevated temperatures and pressures.
Decomposition Temperature	Not determined
Incompatibility	Acids. Bases. Strong oxidizing agents.
Polymerization	Will not occur
Thermal Decomposition	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Under combustion conditions, oxides of the following elements will be formed: nitrogen, sulfur. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids. Nitrogen oxides.
Conditions to Avoid	Monomers. Acrylate monomers. Do not freeze.



*****SAFETY DATA SHEET *****

Page 4 of 6

11. TOXICOLOGICAL INFORMATION

- ACUTE EXPOSURE -

- Eye Irritation** May cause eye irritation. Does not meet Canadian D2B or EU R36 criteria. Based on data from components or similar materials. Vapors formed from heating may cause eye irritation.
- Skin Irritation** Not expected to be a primary skin irritant. Based on data from similar materials. Repeated or prolonged skin contact may cause irritation.
- Respiratory Irritation** If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract. Based on data from components or similar materials.
- Dermal Toxicity** The LD50 in rabbits is >2000 mg/Kg. Based on data from components or similar materials.
- Inhalation Toxicity** Overexposure to vapors or mist may cause dizziness, headache, nausea, and/or flu-like symptoms. Avoid inhalation of mists or vapors.
- Oral Toxicity** The LD50 in rats is > 10,000 mg/Kg. Based on data from components or similar materials. Ingestion of this material may cause gastrointestinal irritation.
- Dermal Sensitization** No data available to indicate product or components may be a skin sensitizer.
- Inhalation Sensitization** No data available to indicate product or components may be respiratory sensitizers.

- CRONIC EXPOSURE -

- Chronic Toxicity** No data available to indicate product or components present at greater than 1% are chronic health hazards.
- Carcinogenicity** No data available to indicate any components present at greater than 0.1% may present a carcinogenic hazard.
- Mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
- Reproductive Toxicity** No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.
- Teratogenicity** No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

- ADDITIONAL INFORMATION -

- Other** Pre-existing skin conditions may be aggravated by prolonged or repeated exposure. Persons with sensitive airways (e.g. asthmatics) may react to vapors.



*****SAFETY DATA SHEET *****

12. ECOLOGICAL INFORMATION

- ENVIRONMENTAL TOXICITY -

Freshwater Fish Toxicity	Not determined
Freshwater Invertebrates Toxicity	Not determined
Algal Inhibition	Not determined
Saltwater Fish Toxicity	Not determined
Saltwater Invertebrates Toxicity	Not determined
Bacteria Toxicity	Not determined
Miscellaneous Toxicity	Not determined

- ENVIRONMENTAL FATE -

Biodegradation	Adequate data is not available to estimate the biodegradation potential of this material.
Bioaccumulation	Less than 1.0% of the components potentially bioconcentrate, based on octanol/water coefficients.
Soil Mobility	Not determined

13. Disposal Considerations

Waste Disposal	This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.
-----------------------	--

14. Transport Information

ICAO/IATA I	Not regulated
ICAO/IATA II	Not regulated
IMDG	Not regulated
IMDG EMS Fire	Not applicable
IMDG EMS Spill	Not applicable
IMDG MFAG	Not applicable
MARPOL Annex II	Not determined
USCG Compatibility	Not determined
U.S. DOT Bulk	Not regulated
DOT NAERG	Not applicable
U.S. DOT (Intermediate)	Not regulated
U.S. DOT Intermediate NAERG	Not applicable



***SAFETY DATA SHEET ***

U.S. DOT Non-Bulk	Not regulated
U.S. DOT Non-Bulk NAERG	Not applicable
Canada	Not regulated
Mexico	Not regulated
Bulk Quantity	85000 KG, 187391 lbs.
Intermediate Quantity	11000 KG, 24251 lbs.
Non-Bulk Quantity	400 KG, 882 lbs.

Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory Information - Global Chemical Inventories –

USA - This product is on the TSCA inventory. When used as a biocide it is regulated under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). This product is not FIFRA registered.

Other TSCA Reg. - None known.

Canada - All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

California Prop. 65 – This product may contain chemical(s) known to the state of California to cause cancer and/or birth defects. - **For additional information please contact The Gluefast Co Inc at: info@gluefast.com.**

Product Registrations – Not applicable – Not registered

16. OTHER INFORMATION

US NFPA Codes

Health	Fire	Reactivity	Special
1	1	0	N/E

(N/E) – None established

HMIS Codes

Health	Fire	Reactivity
1	1	0

This safety data sheet contains changes from the previous version in sections:
New Safety Data Sheet format.

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to The Gluefast Company from its suppliers, and because The Gluefast Company has no control over the conditions of handling and use, The Gluefast Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information supplied solely for your information and consideration and the The Gluefast Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of The Gluefast Company Products to comply with all federal, state and local laws and regulations.

Created: August 14, 2020