



GF#1028U Glue

February 15, 2019

***SAFETY DATA SHEET ***

Page 1 of 5

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: GF#1028U
Product Type: Remoistenable water based adhesive
Company Address:
The Gluefast Company, Inc.
3535 Route 66, Bldg. #1
Neptune, NJ 07753 USA
Phone 732-918-4600

2. HAZARDS IDENTIFICATION

Physical state: Liquid	HEALTH: 1
Color: White	FLAMMABILITY: 0
Odor: Mild	PHYSICAL HAZARD: 0
	Personal Protection: See MSDS Section 8

CAUTION: Eye contact with liquid product may cause irritation. Prolonged or repeated contact with liquid product may cause irritation

Relevant routes of exposure: Skin, Eyes, Ingestion

Potential Health Effects

Inhalation:	No hazard in normal industrial use.
Skin Contact:	No hazard in normal industrial use.
Eye Contact:	No hazard in normal industrial use.
Ingestion:	No hazard in normal industrial use.

Existing conditions aggravated by exposure:

None known. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
None	None	

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Seek immediate medical attention.



GF#1028U Glue

February 15, 2019

*****SAFETY DATA SHEET *****

Page 2 of 5

Skin contact: No known EFFECT on skin contact, rinse with water for a few minutes.
Eye contact: Flush eyes with large amounts of water until irritation/burning subsides, at least 15 minutes. If irritation persists, get medical attention.
Ingestion: Do not induce vomiting. Seek medical attention immediately.

5. FIRE FIGHTING MEASURES

Flash point: Not applicable
Auto ignition temperature: Unknown
Flammable/Explosive limits - lower: Not applicable
Flammable/Explosive limits – upper: Not applicable
Extinguishing media: Not applicable
Special firefighting procedures: Not applicable
Unusual fire or explosion hazards: Not applicable
Hazardous combustion products: Not applicable

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not flush to storm sewer or waterway. Dispose of according to local and regional authority requirements.
Clean-up methods: Spills should be taken up with suitable absorbent and placed in containers. Spill area can be washed with water; collect wash water for approved disposal.

7. HANDLING AND STORAGE

Handling: Open drum in ventilated area. Avoid breathing vapors, gas, fumes or spray. Wear suitable protective clothing. Rotate stock using oldest first.
Storage: 40 – 100 F
Store at room temperature. Do not store in aluminum metal tanks. Steel or concrete tanks may be used.
Shelf life is three months.
KEEP FROM FREEZING.



GF#1028U Glue

February 15, 2019

*****SAFETY DATA SHEET *****

Page 3 of 5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

Engineering controls: General, local exhaust sufficient.
Respiratory protection: Can use NIOSH approved respirator.
Eyeface protection: Wear safety glasses with side shields.
Skin protection: Rubber, plastic or PVC gloves should be worn. Safety shoes or rubber boots and clothing cover. If splashed, wash with soap and water to remove from skin immediately.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: White
Odor: Mild
Odor threshold: Not available
Ph: 6.0
Vapor Pressure: 17.5 (20 C)
Boiling Point/range: lowest known value is 100 degrees C (212 F).
 Weighted average: 113.13 degrees C (235.6 degrees F)
Melting Point/range: May start to solidify at 0 degrees C (32 F) based on data for: water
Freezing Point range: 0° C (32°F)
Specific gravity: 1.23
Vapor density: highest 3.1
Flash Point: Not Applicable
Flammable/Explosive limits - lower: Not applicable
Flammable/Explosive limits – upper: Not applicable
Autoignition temperature: Unknown
Evaporation rate: 1 (Water)
Solubility in water: Miscible
Partition coefficient (n-octanol/water) Not applicable
VOC content: 2%



GF#1028U Glue

February 15, 2019

*****SAFETY DATA SHEET *****

Page 4 of 5

10. STABILITY AND REACTIVITY

Stability	Stable
Hazardous reactions:	None
Hazardous decomposition products	Carbon monoxide, carbon dioxide
Incompatible materials:	Materials that react with water
Conditions to avoid:	Do not freeze

11. TOXICOLOGICAL INFORMATION

Hazardous components	NTB Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None
Hazardous components		Health Effects/ Target Organs	
None		None	

12. ECOLOGICAL INFORMATION

Ecological information: None available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Waste disposal should be in accordance with existing federal, state and local environmental regulations. Empty containers may contain product residue; follow MSDS and label warnings even after they have been emptied.

Hazardous waste number: Not an RCRA hazardous waste.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: GF1028UGL, GF1028UPL, GF1028UDR
 Hazard class or division: None
 Identification number: None
 Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air or water.



GF#1028U Glue

February 15, 2019

*****SAFETY DATA SHEET *****

Page 5 of 5

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)

Proper shipping name: GF1028UGL, GF1028UPL, GF1028UDR
Hazard class or division: None
Identification number: None
Packing group: Carton, 5-gallon pail, 55 gallon drum
Product is not regulated, non hazardous and not restricted for transport by air.

WATER TRANSPORTATION (IMO/MDG)

Proper shipping name: GF1028UGL, GF1028UPL, GF1028UDR
Hazard class or division: None
Identification number: None
Packing group: Carton, 5-gallon pail, 55 gallon drum
Product is not regulated, non hazardous and not restricted for transport by air or water.

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification: None above reporting de minimus
CERCLA/SARA Section 302 EHS: None above reporting de minimus
CERCLA/SARA Section 311/312: None
CERCLA/SARA 313: None
FDA 21CFR175.105
California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List.
WHMIS hazard class: Not controlled

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections:
New Safety Data Sheet format.

Revision Date: May 27, 2015