



GF#1065U LIQUID GLUE

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 1 of 5

**1. PRODUCT & COMPANY IDENTIFICATION**

Product Name: GF#1065U  
Product Type: Water based liquid glue  
Company Address:  
The Gluefast Company, Inc.  
3535 Route 66, Bldg. #1  
Neptune, NJ 07753 USA  
Phone 732-918-4600

**2. HAZARDS IDENTIFICATION**

|                        |   |
|------------------------|---|
| Physical state: Liquid | HEALTH: 1                               |
| Color: Dark Amber      | FLAMMABILITY: 0                         |
| Odor: Neutral          | PHYSICAL HAZARD: 0                      |
|                        | Personal Protection: See MSDS Section 8 |

CAUTION: Eye contact with liquid product may cause irritation. Prolonged or repeated contact with liquid product may cause irritation

Relevant routes of exposure: Skin, Eyes

**Potential Health Effects**

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | Is not an anticipated route of exposure                                 |
| <b>Skin Contact:</b> | Prolonged or repeated contact with liquid product may cause irritation. |
| <b>Eye Contact:</b>  | Eye contact with liquid product may cause irritation.                   |
| <b>Ingestion:</b>    | Is not an anticipated route of exposure                                 |

**Existing conditions aggravated by Exposure:** None known. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**See Section 11 for additional toxicological information.**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Hazardous components | CAS NUMBER |
|----------------------|------------|
| None                 | N/A        |

**4. FIRST AID MEASURES**

|                    |   |
|--------------------|---|
| <b>Inhalation:</b> | Non hazard in normal industrial use. Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat and respiratory tract. Move to fresh air. Call physician at once. |
|--------------------|---|



GF#1065U LIQUID GLUE

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 2 of 5

**Skin contact:** Prolonged or repeated contact with liquid may cause irritation. Wash affected area with soap and water. Launder contaminated clothing before reuse.

**Eye contact:** Flush immediately with water for 15 minutes. Consult a physician if irritation persists.

**Ingestion:** Not an anticipated route of exposure. Small amounts are not anticipated to be harmful. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person

**5. FIRE FIGHTING MEASURES**

|  |                                      |
|--|--------------------------------------|
| <b>Flash point:</b>                        | Non flammable                        |
| <b>Auto ignition temperature:</b>          | Not applicable                       |
| <b>Flammable/Explosive limits - lower:</b> | Not applicable                       |
| <b>Flammable/Explosive limits – upper:</b> | Not applicable                       |
| <b>Extinguishing media:</b>                | CO <sup>2</sup> ; Dry chemical; Foam |
| <b>Special firefighting procedures:</b>    | Not applicable                       |
| <b>Unusual fire or explosion hazards:</b>  | Not applicable                       |
| <b>Hazardous combustion products:</b>      | Not Established                      |

**6. ACCIDENTAL RELEASE MEASURES**

Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds or water systems

**Environmental precautions:** Do not allow material to contaminate ground water system. No special environmental precautions required.

**Clean-up methods:** Spills should be taken up with suitable absorbent and placed in containers. Spill area can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway. Contact state or town municipalities for proper disposal instructions.

**7. HANDLING AND STORAGE**

**Handling:** Open drum in ventilated area. Avoid breathing vapors. 40 – 100 F

**Storage:** Store at room temperature. Rotate stock using oldest material first. Shelf life is six months. KEEP FROM FREEZING.



**\*\*\*SAFETY DATA SHEET \*\*\***

Page 3 of 5

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous components | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|----------------------|-----------|----------|-----------|-------|
| None                 | None      | None     | None      | None  |

**Engineering controls:**

General room ventilation is usually adequate. Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.

**Respiratory protection:**

No personal respiratory protective equipment normally required. Where the potential exists for exposure to decomposition products due to heating or elevated temperatures, wear NIOSH approved respiratory protection as appropriate. Observe OSHA regulations for respiratory use (29 CFR 1910.134).

**Eyeface protection:**

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.

**Skin protection:**

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Wear suitable protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Physical state:**
- Color:**
- Odor:**
- Odor threshold:**
- Ph:**
- Vapor Pressure:**
- Boiling Point/range:**
- Freezing Point/range:**
- Specific gravity:**
- Vapor density:**
- Flash Point:**
- Flammable/Explosive limits - lower:**
- Flammable/Explosive limits – upper:**
- Autoignition temperature:**
- Evaporation rate:**
- Solubility in water:**
- Partition coefficient (n-octanol/water)**
- VOC content:**

Liquid  
 Dark Amber  
 Neutral  
 Not established  
 9.5  
 Not established  
 >212F  
 Below 32°F  
 1.2  
 Not applicable  
 Not applicable  
 Not applicable  
 Not applicable  
 Not applicable  
 Not applicable  
 Miscible  
 Not available  
 0.1g VOC/liter of material (VOC theoretically determined using EPA Publication 450/3-84-019)



GF#1065U LIQUID GLUE

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 4 of 5

**10. STABILITY AND REACTIVITY**

|                                  |                                  |
|----------------------------------|----------------------------------|
| Stability                        | Stable                           |
| Hazardous reactions:             | Will not occur.                  |
| Hazardous decomposition products | Not Established                  |
| Incompatible materials:          | Materials that react with water. |
| Conditions to avoid:             | Do not freeze.                   |

**11. TOXICOLOGICAL INFORMATION**

| Hazardous components | NTB Carcinogen | IARC Carcinogen                  | OSHA Carcinogen<br>(Specifically Regulated) |
|----------------------|----------------|----------------------------------|---|
| None                 | None           | None                             | None  |
|                      |                |                                  |   |
| Hazardous components |                | Health Effects/<br>Target Organs |   |
| None                 |                | None                             |   |

**12. ECOLOGICAL INFORMATION**

Ecological information: N/A

**13. DISPOSAL CONSIDERATIONS**

**Information provided is for unused product only.**

**Recommended method of disposal:** Legal disposition of waste is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

**Hazardous waste number:** Not a RCRA hazardous waste.

**14. TRANSPORT INFORMATION**

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: GF1065UGL, GF1065UPL, GF1065UDR

Hazard class or division: None

Identification number: None

Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air or water.



GF#1065U LIQUID GLUE

February 15, 2019

**\*\*\*SAFETY DATA SHEET \*\*\***

Page 5 of 5

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)

Proper shipping name: GF1065UGL, GF1065UPL, GF1065UDR  
Hazard class or division: None  
Identification number: None  
Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air.

WATER TRANSPORTATION (IMO/MDG)

Proper shipping name: GF1065UGL, GF1065UPL, GF1065UDR  
Hazard class or division: None  
Identification number: None  
Packing group: Carton, 5-gallon pail, 55 gallon drum  
Exceptions: None

Product is not regulated, non hazardous and not restricted for transport by air or water.

**15. REGULATORY INFORMATION**

United States Regulatory Information

**TSCA 8 (b) Inventory Status:**

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**TSCA 12 (b) Export Notification:**  
**CERCLA/SARA Section 302 EHS:**  
**CERCLA/SARA Section 311/312:**  
**CERCLA/SARA 313:**

None above reporting de minimus  
None above reporting de minimus  
None  
None

**California Proposition 65:**

No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

**CEPA DSL/NDSL Status:**

All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**WHMIS hazard class:**

Not controlled

**16. OTHER INFORMATION**

**This safety data sheet contains changes from the previous version in sections:**

New Safety Data Sheet format.

Revision Date: May 27, 2015