



GF #55 & GF #55TT GLUE

February 14, 2019

***SAFETY DATA SHEET ***

Page 1 of 5

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: GF#55 & GF #55TT
Product Type: Water based glue
Company Address:
The Gluefast Company, Inc.
3535 Route 66, Bldg. #1
Neptune, NJ 07753 USA
Phone 732-918-4600

2. HAZARDS IDENTIFICATION

Physical state: Liquid
Color: Amber
Odor: Slight Wintergreen Odor
HEALTH: 1
FLAMMABILITY: 0
PHYSICAL HAZARD: 0
Personal Protection: See MSDS Section 8

CAUTION: Eye contact with liquid product may cause irritation. Prolonged or repeated contact with liquid product may cause irritation

Relevant routes of exposure: Skin, Eyes

Potential Health Effects

Inhalation: Is not an anticipated route of exposure
Skin Contact: Prolonged or repeated contact with liquid product may cause irritation.
Eye Contact: Eye contact with liquid product may cause irritation.
Ingestion: Not expected to be harmful by ingestion. Not expected under normal conditions of use.

Existing conditions aggravated by Exposure: None known

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER	%
NONE		

4. FIRST AID MEASURES

Inhalation: If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.



GF #55 & GF #55TT GLUE

February 14, 2019

*****SAFETY DATA SHEET *****

Page 2 of 5

Skin contact: Wash affected area with soap and water. Launder contaminated clothing before reuse.

Eye contact: Flush immediately with water for 15 minutes. Consult a physician if irritation persists.

Ingestion: If person can swallow, give one glass of water or milk. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person

5. FIRE FIGHTING MEASURES

Flash point: Non Flammable

Auto ignition temperature: Not applicable

Flammable/Explosive limits - lower: Not applicable

Flammable/Explosive limits – upper: Not applicable

Extinguishing media: Non- flammable in liquid state; use water spray (fog), foam, dry chemical or carbon dioxide on dried product.

Special firefighting procedures: Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA). Wear full protective clothing.

Unusual fire or explosion hazards: There is the possibility of pressure build-up in closed containers when heated. Water spray may be used to cool the containers.

Hazardous combustion products: Incomplete combustion can yield low molecular weight hydrocarbons, carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds or water systems

Environmental precautions: Do not allow material to contaminate ground water system. No special environmental precautions required.

Clean-up methods: Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Dispose of contaminated material as waste according to item 13.

7. HANDLING AND STORAGE

Handling: Store at room temperature. Rotate stock using oldest material first. Shelf life is twelve months. Although this product is freeze thaw stable, it should be stored in an area that will keep it from freezing.

Storage: Avoid Temperature extremes in storage. Shelf life is twelve months.



*****SAFETY DATA SHEET *****

Page 3 of 5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

Engineering controls:

General room ventilation is usually adequate. Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.

Respiratory protection:

No personal respiratory protective equipment normally required. Where the potential exists for exposure to decomposition products due to heating or elevated temperatures, wear NIOSH approved respiratory protection as appropriate. Observe OSHA regulations for respiratory use (29 CFR 1910.134).

Eyeface protection:

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.

Skin protection:

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Color:	Amber
Odor:	Slight Wintergreen
Odor threshold:	Not available
Ph:	7-9
Vapor Pressure:	Not applicable
Boiling Point/range:	Greater than 200°F (93°C)
Melting Point/range:	Not established
Specific gravity:	1.1
Vapor density:	Not applicable
Flash Point:	Not applicable
Flammable/Explosive limits - lower:	Not applicable
Flammable/Explosive limits – upper:	Not applicable
Auto ignition temperature:	Not applicable
Evaporation rate:	Not applicable
Solubility in water:	Miscible
Partition coefficient (n-octanol/water)	Not available
VOC content:	Essentially Zero
Volatility:	52-56%



GF #55 & GF #55TT GLUE

February 14, 2019

*****SAFETY DATA SHEET *****

Page 4 of 5

10. STABILITY AND REACTIVITY

Stability	Stable
Hazardous reactions:	Will not occur.
Hazardous decomposition products	Oxides of carbon
Incompatible materials:	Contact with water reactive materials (such as oleum) can cause exothermic reactions.
Conditions to avoid:	

11. TOXICOLOGICAL INFORMATION

Hazardous components	NTB Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None
Hazardous components		Health Effects/ Target Organs	
None		None	

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

Hazardous waste number: Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: GF55GL, GF55PL, GF55DR
GF55TTGL, GF55TTPL, GF55DR

Hazard class or division: None

Identification number: None

Packing group: Carton, 5-gallon pail, 55-gallon drum



GF #55 & GF #55TT GLUE

February 14, 2019

*****SAFETY DATA SHEET *****

Page 5 of 5

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)

Proper shipping name: GF55GL, GF55PL, GF55DR
GF55TTGL, GF55TTPL, GF55DR
Hazard class or division: None
Identification number: None
Packing group: Carton, 5-gallon pail, 55-gallon drum

WATER TRANSPORTATION (IMO/MDG)

Proper shipping name: GF55GL, GF55PL, GF55DR
GF55TTGL, GF55TTPL, GF55DR
Hazard class or division: None
Identification number: None
Packing group: None
Exceptions: Carton, 5-gallon pail, 55-gallon drum

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification: None above reporting de minimus
CERCLA/SARA Section 302 EHS: None above reporting de minimus
CERCLA/SARA Section 311/312: None
CERCLA/SARA 313: None
California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List.
WHMIS hazard class: Not controlled

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections:
New Safety Data Sheet format.

Revision Date: May 27, 2015