

***SAFETY DATA SHEET ***

Page 1 of 5

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: GF#5H

Product Type: Water based glue

Company Address:

The Gluefast Company, Inc. 3535 Route 66, Bldg. #1 Neptune, NJ 07753 USA Phone 732-918-4600

2. HAZARDS IDENTIFICATION

Physical state: Liquid HEALTH: 1

Color: Amber FLAMMABILITY: 0
Odor: Slight Wintergreen Odor PHYSICAL HAZARD: 0

Personal Protection: See MSDS Section 8

CAUTION: Eye contact with liquid product may cause irritation. Prolonged or repeated contact with

liquid product may cause irritation

Relevant routes of exposure: Skin, Eyes

Potential Health Effects

Inhalation: Is not an anticipated route of exposure

Skin Contact: Prolonged or repeated contact with liquid product may cause irritation.

Eye Contact: Eye contact with liquid product may cause irritation.

Ingestion: Not expected to be harmful by ingestion. Not expected under normal conditions of use.

Existing conditions aggravated by None known

Exposure:

This material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components CAS NUMBER %

NONE

4. FIRST AID MEASURES

Inhalation: If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Move to fresh air in case of accidental inhalation of dust or fumes from

overheating or combustion.



***SAFETY DATA SHEET ***

Page 2 of 5

Skin contact: Wash affected area with soap and water. Launder contaminated clothing before

reuse.

Eye contact: Flush immediately with water for 15 minutes. Consult a physician if irritation

persists.

Ingestion: If person can swallow, give one glass of water or milk. Do not induce vomiting.

Get immediate medical attention. Never give anything by mouth to an

unconscious person

5. FIRE FIGHTING MEASURES

Non Flammable Flash point: **Auto ignition temperature:** Not applicable Flammable/Explosive limits - lower: Not applicable Flammable/Explosive limits – upper: Not applicable

Extinguishing media: Non- flammable in liquid state; use water spray (fog),

foam, dry chemical or carbon dioxide on dried product. Fire fighters should wear positive pressure self-contained

Special firefighting procedures: breathing apparatus (SCBA). Wear full protective clothing.

There is the possibility of pressure build-up in closed

Unusual fire or explosion hazards:

containers when heated. Water spray may be used to cool the containers.

Hazardous combustion products: Incomplete combustion can yield low molecular weight

hydrocarbons, carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds or water systems

Environmental precautions: Do not allow material to contaminate ground water system.

No special environmental precautions required.

Clean-up methods: Keep unnecessary personnel away. Ensure adequate

> ventilation. Wear appropriate protective equipment and clothing during clean-up. Dispose of contaminated

material as waste according to item 13.

7. HANDLING AND STORAGE

Handling: Wear appropriate protective equipment when working with

this product.

Store at room temperature. Rotate stock using Storage:

> oldest material first. Although this product is freeze thaw stable, it should be stored in an area that will keep it from freezing. Shelf life is twelve

months.



***SAFETY DATA SHEET ***

Page 3 of 5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

Engineering controls: General room ventilation is usually adequate. Local

exhaust ventilation is recommended when general ventilation is not sufficient to control airborne

contamination.

Respiratory protection:No personal respiratory protective equipment normally

required. Where the potential exists for exposure to decomposition products due to heating or elevated temperatures, wear NIOSH approved respiratory protection as appropriate. Observe OSHA regulations

for respiratory use (29 CFR 1910.134).

Eyeface protection: Safety goggles or safety glasses with side shields. Full

face protection should be used if the potential for

splashing or spraying of product exists.

Skin protection: Use impermeable gloves and protective clothing as

necessary to prevent skin contact. Wear suitable

protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Amber

Odor: Slight Wintergreen

Odor threshold: Not available

Ph: 7-9

Vapor Pressure: Not applicable

Boiling Point/range: Greater than 200°F (93°C)

Melting Point/range: Not established

Specific gravity: 1.1

Vapor density: Not applicable Flash Point: Not applicable Not applicable Flammable/Explosive limits - lower: Flammable/Explosive limits – upper: Not applicable **Autoignition temperature:** Not applicable **Evaporation rate:** Not applicable Miscible Solubility in water: Partition coefficient (n-octanol/water) Not available

VOC content: Essentially Zero



***SAFETY DATA SHEET ***

Page 4 of 5

10. STABILITY AND REACTIVITY

Stability	Stable	
Hazardous reactions:	Will not occur.	
Hazardous decomposition products	Oxides of carbon	
Incompatible materials:	Contact with water reactive materials (such as oleum) can caus	
	exothermic reactions.	
Conditions to avoid:	Do not freeze.	

11. TOXICOLOGICAL INFORMATION

Hazardous components	NTB Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None
Hazardous components		Health Effects/	
		Target Organs	
None		None	

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Legal disposition of wastes is the responsibility of the

owner/generator of the waste. Applicable federal, state

and/or local regulations must be followed during

treatment, storage, or disposal of waste containing this

product.

Hazardous waste number:Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: GF5HGL, GF5HPL, GF5HDR

Hazard class or division: None Identification number: None

Packing group: Carton, 5-gallon pail, 55-gallon drum

Product is not regulated, non-hazardous and not restricted for transport by air or water.



***SAFETY DATA SHEET ***

Page 5 of 5

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)

Proper shipping name: GF5HGL, GF5HPL, GF5HDR

Hazard class or division: None Identification number: None

Packing group: Carton, 5-gallon pail, 55-gallon drum Product is not regulated, non hazardous and not restricted for transport by air.

WATER TRANSPORTATION (IMO/MDG)

Proper shipping name: GF5HGL, GF5HPL, GF5HDR

Hazard class or division:
Identification number:
Packing group:
None

Exceptions: Carton, 5-gallon pail, 55-gallon drum Product is not regulated, non hazardous and not restricted for transport by water.

15. REGULATORY INFORMATION United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing

on the Toxic Substances Control Act Inventory.

TCSA 12 (b) Export Notification:

CERCLA/SARA Section 302 EHS:

None above reporting de minimus

CERCLA/SARA Section 311/312: None CERCLA/SARA 313: None

California Proposition 65: No California Proposition 65 listed chemicals are

known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing

on the Canadian Domestic Substances List.

WHMIS hazard class: Not controlled

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections:

New Safety Data Sheet format.

Revision Date: November 3, 2015