



GF#775 ADHESIVE

February 15, 2019

*** SAFETY DATA SHEET ***

Page 1 of 5

1. PRODUCT & COMPANY IDENTIFICATION

Product Name: GLUEFAST NO.775
Product Type: Water based resin adhesive
Company Address:
The Gluefast Company, Inc.
3535 Route 66, Bldg. #1
Neptune, NJ 07753 USA
Phone 732-918-4600

2. HAZARDS IDENTIFICATION

Physical state: Liquid	HEALTH: 1
Color: White	FLAMMABILITY: 1
Odor: Typical Slight Sweet	PHYSICAL HAZARD: 0
	Personal Protection: See MSDS Section 8

CAUTION: Eye contact with liquid may cause irritation. Prolonged or repeated contact with liquid product may cause irritation.

Potential Health Effects

Inhalation: Is not an anticipated route of exposure- No hazard in normal industrial use. Get immediate medical attention.

Skin Contact: Prolonged or repeated contact with liquid product may cause irritation.

Eye Contact: Eye contact with liquid product may cause irritation.

Ingestion: No hazard in normal industrial use Call physician at once.

Existing conditions aggravated by exposure: None known

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components	CAS NUMBER
Residual vinyl acetate	Monomer (108-05-4) LD50: 2920 mg/kg (oral, rat) / LC50: 2828 ppm/4h (rat). Vapor pressure, in mm Hg @20°C:92 OSHA, ACGIH STEL: 20ppm

4. FIRST AID MEASURES

Inhalation: Non hazard in normal industrial use. Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat and respiratory tract. Move to fresh air Call physician at once.



GF#775 ADHESIVE

February 15, 2019

***** SAFETY DATA SHEET *****

Page 2 of 5

Skin contact: Prolonged or repeated contact with liquid may cause irritation. Wash affected area with soap and water. Launder contaminated clothing before reuse.

Eye contact: Flush immediately with water for 15 minutes. Consult a physician if irritation persists.

Ingestion: Not an anticipated route of exposure. Small amounts are not anticipated to be harmful. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person

5. FIRE FIGHTING MEASURES

Flash point:	Not applicable
Auto ignition temperature:	Unknown
Flammable/Explosive limits - lower:	Not applicable
Flammable/Explosive limits – upper:	Not applicable
Extinguishing media:	CO2: Dry chemical; Foam
Special firefighting procedures:	Not applicable
Unusual fire or explosion hazards:	Not applicable
Hazardous combustion products:	Carbon monoxide, carbon dioxide

6. ACCIDENTAL RELEASE MEASURES

Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds or water systems

Environmental precautions:

Do not allow material to contaminate ground water system. No special environmental precautions required.

Clean-up methods:

Spills should be taken up with suitable absorbent and placed in containers. Spill area can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway. Contact state or town municipalities for proper disposal instructions.

7. HANDLING AND STORAGE

Handling:

Open drum in ventilated area. Avoid breathing vapors. Rotate stock using oldest material first.

Storage:

40-100 F. Shelf life is 3 months. KEEP FROM FREEZING.



GF#775 ADHESIVE

February 15, 2019

***** SAFETY DATA SHEET *****

Page 3 of 5

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
None	None	None	None	None

Engineering controls:

General room ventilation is usually adequate. Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination.

Respiratory protection:

No personal respiratory protective equipment normally required. Where the potential exists for exposure to decomposition products due to heating or elevated temperatures, wear NIOSH approved respiratory protection as appropriate. Observe OSHA regulations for respiratory use (29 CFR 1910.134).

Eyeface protection:

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.

Skin protection:

Use impermeable gloves and protective clothing as necessary to prevent skin contact. Wear suitable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Color:	White
Odor:	Typical Slight Sweet odor
Odor threshold:	Not available
Ph:	7.0
Vapor Pressure:	17.5 (20 c)
Boiling Point/range:	>212 F
Freezing Point/range:	<32 F
Specific gravity:	1.010
Vapor density:	0.62
Flash Point:	Not applicable
Flammable/Explosive limits - lower:	Not applicable
Flammable/Explosive limits – upper:	Not applicable
Autoignition temperature:	Unknown
Evaporation rate:	1 (Water)
Solubility in water:	Miscible
Partition coefficient (n-octanol/water)	Not applicable
VOC content:	<5G/1



GF#775 ADHESIVE

February 15, 2019

***** SAFETY DATA SHEET *****

Page 4 of 5

10. STABILITY AND REACTIVITY

Stability	Stable
Hazardous reactions:	Will not occur
Hazardous decomposition products	Carbon monoxide, carbon dioxide
Incompatible materials:	Materials that react with water.
Conditions to avoid:	Keep from freezing

11. TOXICOLOGICAL INFORMATION

Hazardous components	NTB Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None
Hazardous components		Health Effects/ Target Organs	
None		None	

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

Hazardous waste number: Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: GF775GL, GF775PL, GF775DR

Hazard class or division: None

Identification number: None

Packing group: Carton, 5-gallon pail, 55 gallon drum

Product is not regulated, non hazardous and not restricted for transport by air or water.



GF#775 ADHESIVE

February 15, 2019

***** SAFETY DATA SHEET *****

Page 5 of 5

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA)

Proper shipping name: GF775GL, GF775PL, GF775DR
Hazard class or division: None
Identification number: None
Packing group: Carton, 5-gallon pail, 55 gallon drum
Product is not regulated, non hazardous and not restricted for transport by air.

WATER TRANSPORTATION (IMO/MDG)

Proper shipping name: GF775GL, GF775PL, GF775DR
Hazard class or division: None
Identification number: None
Packing group: Carton, 5-gallon pail, 55 gallon drum
Product is not regulated, non hazardous and not restricted for transport by air or water.

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification: None above reporting de minimus
CERCLA/SARA Section 302 EHS: None above reporting de minimus
CERCLA/SARA Section 311/312: None
CERCLA/SARA 313: None

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List.
WHMIS hazard class: Not controlled

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections:
New Safety Data Sheet format.

Revision Date: May 27, 2015